

STATE OF SOUTH DAKOTA
OFFICE OF PROCUREMENT MANAGEMENT
523 EAST CAPITOL AVENUE
PIERRE, SOUTH DAKOTA 57501-3182

IFB 25359- 25400 – SQUARE TUBE STEEL SIGN POSTS AND ACCESSORIES

NOTICE

ADDENDUM 1

DATE: September 19, 2011

BUYER: Andy Mobley


PHONE: 605-773-4278

Addendum 1 is being issued for the following:

Contracts have been extended one (1) year until October 31, 2012.


All terms and conditions remain the same.

Addendum Notes: None.


Steven L. Berg, Director
Office of Procurement Management



PMB 01231
BUREAU OF ADMINISTRATION
OFFICE OF PROCUREMENT MANAGEMENT
523 EAST CAPITOL
PIERRE, SD 57501-3182
(605) 773-3405
FAX (605) 773-4840



SQUARE TUBE STEEL SIGN POSTS AND ACCESSORIES

NOTICE OF AWARDS

Buyer: Andy Mobley 012
Phone: 605-773-4278
Fax: 605-773-4840
Email: Andy.Mobley@state.sd.us

Date: November 01, 2010

- 1. Contract Term:** This notice establishes contract(s) resulting from Solicitations # 25359 and # 25400 for a period of one year, from November 01, 2010 through October 31, 2011 inclusive. The Solicitation and the vendor's response, along with the South Dakota Vendor's Manual are made part of the vendor's contract by this reference.
- 2. Extension:** The State may, at its own discretion, extend a contract for an additional two (2) months past the original contract expiration date. The State may renew this contract for up to four (4) additional one (1) year periods. Notice shall be given by the State to the vendor at least 60 days prior to the termination of the contract, and the vendor shall agree to such extension within 30 days thereafter, before such extension period shall become effective.
- 3. Pricing:** Price increases will not be considered until this contract has been in effect for 120 Calendar days. Written requests for price escalation must be supported by dated manufacturer's printed price sheets or similar documentary evidence. This evidence must be presented to the Office of Procurement Management, and if approved, will become effective 30 Calendar days after approval. Price increases will be allowed for the actual cost of the price increase from the manufacturer to the supplier only and must be presented as a percentage of increase, which will be used to adjust vendor pricing to the State. Price decreases are acceptable on invoice(s) presented for payment.
- 4. Delivery:** The contractor shall furnish and deliver all of the awarded items of supplies, equipment, and commodities enumerated in the schedules and specifications, at the price and according to the terms and conditions, and of the kind, quality, and amounts and at the times specified in the schedules and specifications. The supplies, equipment and commodities shall be delivered to the Director of the Office of Procurement Management or to such State Department or State agency as he shall direct and such delivery shall be made without cost to the State.
- 5.** In the event of the inability or failure of the contractor to furnish and deliver any item or items enumerated in the schedules and specifications at the time and in accordance with the terms and conditions therein provided, the Director of the Office of Procurement Management may contract for or purchase such supplies, equipment, and commodities in the open market and the contractor shall make good the excess over the price named in the schedule and specifications and the cost of such supplies, equipment, and commodities in the open market provided however, that the foregoing provisions shall not apply where other penalties for any default in the performance of the conditions of this contract are provided for in the schedules and specifications.

6. All orders shall be shipped F.O.B. destination. Deliveries shall be made at such time, place and in such quantities as shown on the Purchase Order. All items in common usage are to be shipped within 30 days from the date of purchase order. An additional 10 days will be allowed for back-ordered items when notification is given, in writing, to the ordering agency that the items are not available for immediate delivery.
7. All delivery tickets, invoices and statements shall show the purchase order number, brand or trade name and State Item Number when applicable as shown in this contract. Invoices must be submitted in duplicate to the State Agency ordering the merchandise. DO NOT SUBMIT STATEMENTS OR INVOICES TO THE OFFICE OF PROCUREMENT MANAGEMENT AS IT ONLY DELAYS PAYMENT.
8. **Unless otherwise indicated, payment for items on the contract(s) may be made with the South Dakota Purchasing Card (Citibank Master Card). State agencies may use the Purchasing Card when making purchases of \$1000.00 or less per transaction.**



Jeff T. Holden, Director
Office of Procurement Management

CONTRACTORS

3D Specialties, Inc
PO Box 1615
Fargo, ND 58107-1615
Contact: Kevin Berg
Phone: (701) 293-8599
Fax: (701)-293-7811
Email: Kevin@dakotafence.com

Vendor # 12027514
Contract # 16034

MPJ Enterprises, Inc
207 Park Ave N.
Lake Preston, SD 57249
Contact: Paul W. Johnson
Phone: (605) 847-4680
Fax: (605) 847-4680
Email: mpjinc@mchsi.com

Vendor # 12047745
Contract # 16036

Catalog Report

State of South Dakota

Catalog Name: SQUARE TUBE STEEL SIGN POST
Report Range: (1 - 100) of 100
Vendor: 3D Specialties Inc
Contact Name: Berg, Kevin R.
Contact Phone: (701)293-8599

Report Requestor: Mobley, Andy
Run Date: 11/08/2010 10:07 AM

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80002 POST SECTION, 1-1/4 INCH X 24 FOOT, 12 GAUGE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	15800	49.56		<input type="text"/>
80003 POST SECTION, 1-1/2 INCH X 24 FOOT, 12 GAUGE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	15900	45.07		<input type="text"/>
80004 POST SECTION, 1-3/4 INCH X 24 FOOT, 12 GAUGE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16000	52.70		<input type="text"/>
80005 POST SECTION, 2 INCH X 24 FOOT, 12 GAUGE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16100	56.87		<input type="text"/>
80006 POST SECTION, 2-3/16 INCH X 24 FOOT, 10 GAUGE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16400	87.87		<input type="text"/>
80007 POST SECTION, 2-1/4 INCH X 24 FOOT, 12 GAUGE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16200	61.41		<input type="text"/>
80008 POST SECTION, 2-1/2 INCH X 24 FOOT, 12 GAUGE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16300	68.09		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80009 POST SECTION, 2-1/2 INCH X 24 FOOT, 10 GAUGE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	16500	98.74		<input type="text"/>
Description: .					
80010 SLIP BASE ASSEMBLY, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55710	43.94		<input type="text"/>
Description: Cast iron 8 inch triangular top, receives 2-1/2 inch square post. Includes post locking wedge. 10.25 pounds.					
800100 COUPLER ASSEMBLY AND ACCESSORIES, SURFACE MOUNT SIGN POST, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55800	60.60		<input type="text"/>
Description: .					
800101 TUBULAR WINGED ANCHOR, 3 INCH X 48 INCH, 43.08 POUNDS, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55650	71.87		<input type="text"/>
Description: .					
800102 TUBULAR ANCHOR WITHOUT WINGS, 3 INCH X 48 INCH, 27.48 POUNDS, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	99	46.31		<input type="text"/>
Description: .					
800103 FLANGED SHOULDER BOLT, 3/8 INCH X 3-1/2 INCH, GRADE 8, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55634	1.25		<input type="text"/>
Description: .					
800104 SERRATED FLANGE NUT, 3/8 INCH, GRADE 8, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55916	.23		<input type="text"/>
Description: .					
800106 TUBULAR WINGED ANCHOR, 3 INCH X 48 INCH, 43.08 POUNDS, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55650	74.32		<input type="text"/>
Description: .					

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
800107 TUBULAR ANCHOR WITHOUT WINGS, 3 INCH X 48 INCH, 27.48 POUNDS, MITCHELL -- (1 - 1.0000 Each Purchase per unit)	Xcessories Squared	99	48.96		<input type="text"/>
Description: .					
800108 FLANGED SHOULDER BOLT, 3/8 INCH X 3-1/2 INCH, GRADE 8, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55634	1.37		<input type="text"/>
Description: .					
800109 SERRATED FLANGE NUT, 3/8 INCH, GRADE 8, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55916	.27		<input type="text"/>
Description: .					
80011 8 INCH SLIP BASE BOTTOM / WINGED ANCHOR, 3 INCH X 36 INCH, 41.32 POUNDS, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55660	84.39		<input type="text"/>
Description: .					
800110 TUBULAR WINGED ANCHOR, 3 INCH X 48 INCH, 43.08 POUNDS, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55650	73.46		<input type="text"/>
Description: .					
800111 TUBULAR ANCHOR WITHOUT WINGS, 3 INCH X 48 INCH, 27.48 POUNDS, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	99	47.08		<input type="text"/>
Description: .					
800112 FLANGED SHOULDER BOLT, 3/8 INCH X 3-1/2 INCH, GRADE 8, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55634	1.37		<input type="text"/>
Description: .					
800113 SERRATED FLANGE NUT, 3/8 INCH, GRADE 8, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55916	.27		<input type="text"/>
Description: .					

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
800116 TUBULAR WINGED ANCHOR, 3 INCH X 48 INCH, 43.08 POUNDS, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55650	74.44		<input type="text"/>
800117 TUBULAR ANCHOR WITHOUT WINGS, 3 INCH X 48 INCH, 27.48 POUNDS, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	99	47.58		<input type="text"/>
800118 FLANGED SHOULDER BOLT, 3/8 INCH X 3-1/2 INCH, GRADE 8, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55634	1.30		<input type="text"/>
800119 SERRATED FLANGE NUT, 3/8 INCH, GRADE 8, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55916	.24		<input type="text"/>
80012 UNIVERSAL MATCH PLATE HARDWARE KIT FOR TRIANGULAR SLIP BASE ASSEMBLY, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55715	16.10		<input type="text"/>
80013 OBJECT MARKER, LEFT, FLEXIBLE, FIXED BASE, 12 INCH X 36 INCH, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Impact Recovery Systems	50800	101.43		<input type="text"/>
80014 OBJECT MARKER, RIGHT, FLEXIBLE, FIXED BASE, 12 INCH X 36 INCH, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Impact Recovery Systems	50800	101.43		<input type="text"/>
80015 BREAKOUT SQUARE COUPLER, FOR 2 INCH X 12 GAUGE POST, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56054	42.38		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80016 REPLACEMENT TOP, BREAKOUT SQUARE COUPLER, 2 INCH X 12 GAUGE , ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56056	35.66		<input type="text"/>
80017 BREAKOUT SQUARE COUPLER, FOR 1-3/4 INCH X 12 GAUGE POST, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56050	42.33		<input type="text"/>
80018 REPLACEMENT TOP, BREAKOUT SQUARE COUPLER, 1-3/4 INCH X 12 GAUGE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	565052	35.59		<input type="text"/>
80019 ANCHOR ASSEMBLY, WINGED, 3 INCH X 48 INCH, 48.68 POUNDS, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55664	95.65		<input type="text"/>
80020 DIRECTIONAL SLEEVE, 2-1/2 INCH X 18 INCH, 12 GAUGE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16640	17.10		<input type="text"/>
80021 HARDWARE KIT AND ACCESSORIES, MATCH PLATE, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55715	16.10		<input type="text"/>
80022 COUPLER ASSEMBLY AND ACCESSORIES, SURFACE MOUNT SIGN POST, ABERDEEN -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55800	60.60		<input type="text"/>
80028 POST SECTION, 1-1/4 INCH X 24 FOOT, 12 GAUGE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	15800	50.36		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80029 POST SECTION, 1-1/2 INCH X 24 FOOT, 12 GAUGE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	15900	45.85		<input type="text"/>
80030 POST SECTION, 1-3/4 INCH X 24 FOOT, 12 GAUGE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16000	53.66		<input type="text"/>
80031 POST SECTION, 2 INCH X 24 FOOT, 12 GAUGE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16100	57.83		<input type="text"/>
80032 POST SECTION, 2-3/16 INCH X 24 FOOT, 10 GAUGE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16400	89.08		<input type="text"/>
80033 POST SECTION, 2-1/4 INCH X 24 FOOT, 12 GAUGE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16200	62.37		<input type="text"/>
80034 POST SECTION, 2-1/2 INCH X 24 FOOT, 12 GAUGE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16300	69.19		<input type="text"/>
80035 POST SECTION, 2-1/2 INCH X 24 FOOT, 10 GAUGE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16500	100.06		<input type="text"/>
80036 SLIP BASE ASSEMBLY, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: Cast iron 8 inch triangular top, receives 2-1/2 inch square post. Includes post locking wedge. 10.25 pounds.	Xcessories Squared	55710	43.94		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80037 8 INCH SLIP BASE BOTTOM / WINGED ANCHOR, 3 INCH X 36 INCH, 41.32 POUNDS, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55660	85.21		<input type="text"/>
80038 UNIVERSAL MATCH PLATE HARDWARE KIT FOR TRIANGULAR SLIP BASE ASSEMBLY, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55715	16.10		<input type="text"/>
80039 OBJECT MARKER, LEFT, FLEXIBLE, FIXED BASE, 12 INCH X 36 INCH, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Impact Recovery Systems	50800	102.15		<input type="text"/>
80040 OBJECT MARKER, RIGHT, FLEXIBLE, FIXED BASE, 12 INCH X 36 INCH, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Impact Recovery Systems	50800	102.15		<input type="text"/>
80041 BREAKOUT SQUARE COUPLER, FOR 2 INCH X 12 GAUGE POST, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56054	42.76		<input type="text"/>
80042 REPLACEMENT TOP, BREAKOUT SQUARE COUPLER, 2 INCH X 12 GAUGE , MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56056	35.98		<input type="text"/>
80044 BREAKOUT SQUARE COUPLER, FOR 1-3/4 INCH X 12 GAUGE POST, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56050	42.69		<input type="text"/>
80045 REPLACEMENT TOP, BREAKOUT SQUARE COUPLER, 1-3/4 INCH X 12 GAUGE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Sytems	56052	35.86		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80046 ANCHOR ASSEMBLY, WINGED, 3 INCH X 48 INCH, 48.68 POUNDS, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55664	98.10		<input type="text"/>
Description: .					
80047 DIRECTIONAL SLEEVE, 2-1/2 INCH X 18 INCH, 12 GAUGE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	16640	17.92		<input type="text"/>
Description: .					
80048 HARDWARE KIT AND ACCESSORIES, MATCH PLATE, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55715	16.10		<input type="text"/>
Description: .					
80049 COUPLER ASSEMBLY AND ACCESSORIES, SURFACE MOUNT SIGN POST, MITCHELL -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55800	60.60		<input type="text"/>
Description: .					
80054 POST SECTION, 1-1/4 INCH X 24 FOOT, 12 GAUGE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	1-1/4"	50.80		<input type="text"/>
Description: .					
80055 POST SECTION, 1-1/2 INCH X 24 FOOT, 12 GAUGE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	1-1/2"	46.29		<input type="text"/>
Description: .					
80056 POST SECTION, 1-3/4 INCH X 24 FOOT, 12 GAUGE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	1-3/4"	54.25		<input type="text"/>
Description: .					
80057 POST SECTION, 2 INCH X 24 FOOT, 12 GAUGE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	2"	58.46		<input type="text"/>
Description: .					

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80058 POST SECTION, 2-3/16 INCH X 24 FOOT, 10 GAUGE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	2-3/16"	89.87		<input type="text"/>
80059 POST SECTION, 2-1/4 INCH X 24 FOOT, 12 GAUGE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	2-1/4"	63.01		<input type="text"/>
80060 POST SECTION, 2-1/2 INCH X 24 FOOT, 12 GAUGE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	2-1/2"	69.91		<input type="text"/>
80061 POST SECTION, 2-1/2 INCH X 24 FOOT, 10 GAUGE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	2-1/2" 10ga	100.93		<input type="text"/>
80062 SLIP BASE ASSEMBLY, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: Cast iron 8 inch triangular top, receives 2-1/2 inch square post. Includes post locking wedge. 10.25 pounds.	Xcessories Squared	SB8C-250A-G	42.99		<input type="text"/>
80063 8 INCH SLIP BASE BOTTOM / WINGED ANCHOR, 3 INCH X 36 INCH, 41.32 POUNDS, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	SB8-CTWA36-G	85.69		<input type="text"/>
80064 UNIVERSAL MATCH PLATE HARDWARE KIT FOR TRIANGULAR SLIP BASE ASSEMBLY, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55715	16.29		<input type="text"/>
80065 OBJECT MARKER, LEFT, FLEXIBLE, FIXED BASE, 12 INCH X 36 INCH, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Impact Recovery Systems	50800	102.15		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80066 OBJECT MARKER, RIGHT, FLEXIBLE, FIXED BASE, 12 INCH X 36 INCH, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Impact Recovery Systems	50800	102.15		<input type="text"/>
80067 BREAKOUT SQUARE COUPLER, FOR 2 INCH X 12 GAUGE POST, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56054	42.76		<input type="text"/>
80068 REPLACEMENT TOP, BREAKOUT SQUARE COUPLER, 2 INCH X 12 GAUGE , PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56056	35.98		<input type="text"/>
80069 BREAKOUT SQUARE COUPLER, FOR 1-3/4 INCH X 12 GAUGE POST, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56050	42.69		<input type="text"/>
80070 REPLACEMENT TOP, BREAKOUT SQUARE COUPLER, 1-3/4 INCH X 12 GAUGE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56052	35.86		<input type="text"/>
80071 ANCHOR ASSEMBLY, WINGED, 3 INCH X 48 INCH, 48.68 POUNDS, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55664	96.41		<input type="text"/>
80072 DIRECTIONAL SLEEVE, 2-1/2 INCH X 18 INCH, 12 GAUGE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16640	16.97		<input type="text"/>
80073 HARDWARE KIT AND ACCESSORIES, MATCH PLATE, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55715	16.29		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80074 COUPLER ASSEMBLY AND ACCESSORIES, SURFACE MOUNT SIGN POST, PIERRE -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Xcessories Squared	55800	60.60		<input type="text"/>
Description: .					
80080 POST SECTION, 1-1/4 INCH X 24 FOOT, 12 GAUGE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	15800	51.61		<input type="text"/>
Description: .					
80081 POST SECTION, 1-1/2 INCH X 24 FOOT, 12 GAUGE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	15900	47.15		<input type="text"/>
Description: .					
80082 POST SECTION, 1-3/4 INCH X 24 FOOT, 12 GAUGE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	16000	55.27		<input type="text"/>
Description: .					
80083 POST SECTION, 2 INCH X 24 FOOT, 12 GAUGE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	16100	59.45		<input type="text"/>
Description: .					
80084 POST SECTION, 2-3/16 INCH X 24 FOOT, 10 GAUGE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	16400	91.11		<input type="text"/>
Description: .					
80085 POST SECTION, 2-1/4 INCH X 24 FOOT, 12 GAUGE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	16200	64.01		<input type="text"/>
Description: .					
80086 POST SECTION, 2-1/2 INCH X 24 FOOT, 12 GAUGE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034	Allied Tube & Conduit	16300	71.03		<input type="text"/>
Description: .					

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80087 POST SECTION, 2-1/2 INCH X 24 FOOT, 10 GAUGE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16500	102.29		<input type="text"/>
80088 SLIP BASE ASSEMBLY, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: Cast iron 8 inch triangular top, receives 2-1/2 inch square post. Includes post locking wedge. 10.25 pounds.	Xcessories Squared	55710	43.94		<input type="text"/>
80089 8 INCH SLIP BASE BOTTOM / WINGED ANCHOR, 3 INCH X 36 INCH, 41.32 POUNDS, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55660	86.49		<input type="text"/>
80090 UNIVERSAL MATCH PLATE HARDWARE KIT FOR TRIANGULAR SLIP BASE ASSEMBLY, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55715	16.17		<input type="text"/>
80091 OBJECT MARKER, LEFT, FLEXIBLE, FIXED BASE, 12 INCH X 36 INCH, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Impact Recovery Systems	50800	102.04		<input type="text"/>
80092 OBJECT MARKER, RIGHT, FLEXIBLE, FIXED BASE, 12 INCH X 36 INCH, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Impact Recovery Systems	50800	102.04		<input type="text"/>
80093 BREAKOUT SQUARE COUPLER, FOR 2 INCH X 12 GAUGE POST, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56054	42.84		<input type="text"/>
80094 REPLACEMENT TOP, BREAKOUT SQUARE COUPLER, 2 INCH X 12 GAUGE , RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56056	36.00		<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
80095 BREAKOUT SQUARE COUPLER, FOR 1-3/4 INCH X 12 GAUGE POST, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56050	42.73		<input type="text"/>
80096 REPLACEMENT TOP, BREAKOUT SQUARE COUPLER, 1-3/4 INCH X 12 GAUGE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Sign Support Systems	56052	35.85		<input type="text"/>
80097 ANCHOR ASSEMBLY, WINGED, 3 INCH X 48 INCH, 48.68 POUNDS, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55664	98.22		<input type="text"/>
80098 DIRECTIONAL SLEEVE, 2-1/2 INCH X 18 INCH, 12 GAUGE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Allied Tube & Conduit	16640	16.97		<input type="text"/>
80099 HARDWARE KIT AND ACCESSORIES, MATCH PLATE, RAPID CITY -- (1 - 1.0000 Each Purchase per unit) Contract Number 16034 Description: .	Xcessories Squared	55715	16.17		<input type="text"/>

Catalog Report

State of South Dakota

Catalog Name: SQUARE TUBE STEEL SIGN POST ACCESSORIES
Report Range: (1 - 92) of 92
Vendor: 3D Specialties Inc
Contact Name: Berg, Kevin R.
Contact Phone: (701)293-8599

Report Requestor: Mobley, Andy
Run Date: 11/08/2010 10:00 AM

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
ANCHOR, BREAKAWAY, FITS TELES PAR, 36 INCH LONG, WEDGE INCLUDED, ABERDEEN	Tapco - 200VS1P	99	31.81	1 Each	<input type="text"/>
Description: Breakaway anchor for Telespar including wedge. Leg angle 2-1/2 inch X 2-1/2 inch X 1/4 inch X 36 inch long. Stabilizer fin dimensions 10 inch X 15 inch X 12 gauge. (Aberdeen)					
ANCHOR, BREAKAWAY, FITS TELES PAR, 36 INCH LONG, WEDGE INCLUDED, MITCHELL	Tapco - 200VS1P	99	32.31	1 Each	<input type="text"/>
Description: Breakaway anchor for Telespar including wedge. Leg angle 2-1/2 inch X 2-1/2 inch X 1/4 inch X 36 inch long. Stabilizer fin dimensions 10 inch X 15 inch X 12 gauge. (Mitchell)					
ANCHOR, BREAKAWAY, FITS TELES PAR, 36 INCH LONG, WEDGE INCLUDED, PIERRE	Tapco - 200VS1P	99	32.90	1 Each	<input type="text"/>
Description: Breakaway anchor for Telespar including wedge. Leg angle 2-1/2 inch X 2-1/2 inch X 1/4 inch X 36 inch long. Stabilizer fin dimensions 10 inch X 15 inch X 12 gauge. (Pierre)					
ANCHOR, BREAKAWAY, FITS TELES PAR, 36 INCH LONG, WEDGE INCLUDED, RAPID CITY	Tapco - 200VS1P	99	34.01	1 Each	<input type="text"/>
Description: Breakaway anchor for Telespar including wedge. Leg angle 2-1/2 inch X 2-1/2 inch X 1/4 inch X 36 inch long. Stabilizer fin dimensions 10 inch X 15 inch X 12 gauge. (Rapid City)					
DRIVE CAP, FITS UNIBASE TUBULAR WINGED ANCHOR, ABERDEEN	3D Specialties - 140 Hog Drive Cap	55555	500.04	1 Each	<input type="text"/>
Description: Drive Cap for Unibase/Tubular Winged Anchor. (Aberdeen)					
DRIVE CAP, FITS UNIBASE TUBULAR WINGED ANCHOR, MITCHELL	3D Specialties - 140 Hog Drive Cap	55555	502.54	1 Each	<input type="text"/>
Description: Drive Cap for Unibase/Tubular Winged Anchor. (Mitchell)					
DRIVE CAP, FITS UNIBASE TUBULAR WINGED ANCHOR, PIERRE	3D Specialties - 140 Hog Drive Cap	55555	505.04	1 Each	<input type="text"/>
Description: Drive Cap for Unibase/Tubular Winged Anchor. (Pierre)					
DRIVE CAP, FITS UNIBASE TUBULAR WINGED ANCHOR, RAPID CITY	3D Specialties - 140 Hog Drive Cap	55555	509.04	1 Each	<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description: Drive Cap for Unibase/Tubular Winged Anchor. (Rapid City)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 1 3/4 INCH GUIDE, ABERDEEN	Xcessories Squared - DC150175LR	55300	149.07	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 1-3/4 inch Guide for 2 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Aberdeen)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 1 3/4 INCH GUIDE, MITCHELL	Xcessories Squared - DC150175LR	55300	149.57	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 1-3/4 inch Guide for 2 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Mitchell)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 1 3/4 INCH GUIDE, PIERRE	Xcessories Squared - DC150175LR	55300	150.07	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 1-3/4 inch Guide for 2 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Pierre)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 1 3/4 INCH GUIDE, RAPID CITY	Xcessories Squared - DC150175LR	55300	150.97	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 1-3/4 inch Guide for 2 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Rapid City)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 1/2 INCH GUIDE, ABERDEEN	Xcessories Squared - DC225250LR	55308	165.06	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2-1/2 inch Guide for 3 inch X 7 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Aberdeen)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 1/2 INCH GUIDE, MITCHELL	Xcessories Squared - DC225250LR	55308	165.56	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2-1/2 inch Guide for 3 inch X 7 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Mitchell)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 1/2 INCH GUIDE, PIERRE	Xcessories Squared - DC225250LR	55308	166.06	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2-1/2 inch Guide for 3 inch X 7 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Pierre)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 1/2 INCH GUIDE, RAPID CITY	Xcessories Squared - DC225250LR	55308	166.96	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2-1/2 inch Guide for 3 inch X 7 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Rapid City)					

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 1/4 INCH GUIDE, ABERDEEN	Xcessories Squared - DC200225LR	55304	149.59	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2-1/4 inch Guide for 2-1/2 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Aberdeen)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 1/4 INCH GUIDE, MITCHELL	Xcessories Squared - DC200225LR	55304	150.09	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2-1/4 inch Guide for 2-1/2 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Mitchell)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 1/4 INCH GUIDE, PIERRE	Xcessories Squared - DC200225LR	55304	150.59	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2-1/4 inch Guide for 2-1/2 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Pierre)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 1/4 INCH GUIDE, RAPID CITY	Xcessories Squared - DC200225M	55304	151.49	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2-1/4 inch Guide for 2-1/2 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Rapid City)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 INCH GUIDE, ABERDEEN	Xcessories Squared - DC175200LR	55302	149.07	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2 inch Guide for 2-1/4 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Aberdeen)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 INCH GUIDE, MITCHELL	Xcessories Squared - DC175200LR	55302	149.57	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2 inch Guide for 2-1/4 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Mitchell)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 INCH GUIDE, PIERRE	Xcessories Squared - DC175200LR	55302	150.07	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2 inch Guide for 2-1/4 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Pierre)					
LOCK AND RELEASE DRIVE CAP, FITS TELESPAR, 2 INCH GUIDE, RAPID CITY	Xcessories Squared - DC175200LR	55302	150.97	1 Each	<input type="text"/>
Description: Lock and Release Drive Caps for Telespar square posts; 2 inch Guide for 2-1/4 inch X 12 gauge Anchor; from 4340 annealed bar stock; max hardness of Rockwell C58. (Rapid City)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 1/4 INCH X 6 INCH, ABERDEEN	Xcessories Squared - DS61250LR	55320	127.98	1 Each	<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1-1/4 inch X 6 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Aberdeen)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 1/4 INCH X 6 INCH, MITCHELL	Xcessories Squared - DS61250LR	55320	128.48	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1-1/4 inch X 6 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Mitchell)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 1/4 INCH X 6 INCH, PIERRE	Xcessories Squared - DS61250LR	55320	128.89	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1-1/4 inch X 6 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Pierre)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 1/4 INCH X 6 INCH, RAPID CITY	Xcessories Squared - DS61250LR	55320	129.88	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1-1/4 inch X 6 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Rapid City)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 1/8 INCH X 6 INCH, ABERDEEN	Xcessories Squared - DS61125LR	55318	127.98	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1-1/8 inch X 6 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Aberdeen)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 1/8 INCH X 6 INCH, MITCHELL	Xcessories Squared - DS61125LR	55318	128.48	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1-1/8 inch X 6 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Mitchell)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 1/8 INCH X 6 INCH, PIERRE	Xcessories Squared - DS61125LR	55318	128.89	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1-1/8 inch X 6 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Pierre)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 1/8 INCH X 6 INCH, RAPID CITY	Xcessories Squared - DS61125LR	55318	129.88	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1-1/8 inch X 6 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Rapid City)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 INCH X 4 1/4 INCH, ABERDEEN	Xcessories Squared - DS4100LR	55316	127.98	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1 inch X 4-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Aberdeen)					

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 INCH X 4 1/4 INCH, MITCHELL	Xcessories Squared - DS4100LR	55316	128.48	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1 inch X 4-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Mitchell)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 INCH X 4 1/4 INCH, PIERRE	Xcessories Squared - DS4100LR	55316	128.89	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1 inch X 4-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Pierre)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 1 INCH X 4 1/4 INCH, RAPID CITY	Xcessories Squared - DS4100LR	55316	129.88	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 1 inch X 4-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Rapid City)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 7/8 INCH X 3 1/4 INCH, ABERDEEN	Xcessories Squared - DS3875LR	55312	127.98	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 7/8 inch X 3-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Aberdeen)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 7/8 INCH X 3 1/4 INCH, MITCHELL	Xcessories Squared - DS3875LR	55312	128.48	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 7/8 inch X 3-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Mitchell)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 7/8 INCH X 3 1/4 INCH, PIERRE	Xcessories Squared - DS3875LR	55312	128.98	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 7/8 inch X 3-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Pierre)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 7/8 INCH X 3 1/4 INCH, RAPID CITY	Xcessories Squared - DS3875LR	55312	129.88	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 7/8 inch X 3-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Rapid City)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 7/8 INCH X 4 1/4 INCH, ABERDEEN	Xcessories Squared - DS4875LR	55314	127.98	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 7/8 inch X 4-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Aberdeen)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 7/8 INCH X 4 1/4 INCH, MITCHELL	Xcessories Squared - DS4875LR	55314	128.48	1 Each	<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 7/8 inch X 4-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Mitchell)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 7/8 INCH X 4 1/4 INCH, PIERRE	Xcessories Squared - DS4875LR	55314	128.89	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 7/8 inch X 4-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Pierre)					
LOCK AND RELEASE SHANK FOR JACKHAMMER, HEX SIZE 7/8 INCH X 4 1/4 INCH, RAPID CITY	Xcessories Squared - DS4875LR	55314	129.88	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Jackhammers for Drive Caps for Telespar square posts; Hex Size 7/8 inch X 4-1/4 inch; forged from 0.30 to 0.40 carbon content steel; max hardness of Rockwell C58. (Rapid City)					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 2.8 INCH FAIRMONT HAMMER, ABERDEEN	Xcessories Squared - FA280LR	55410	286.66	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 2.8 inch Opening; for Fairmont Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anne					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 2.8 INCH FAIRMONT HAMMER, MITCHELL	Xcessories Squared - FA280LR	55410	287.16	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 2.8 inch Opening; for Fairmont Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anne					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 2.8 INCH FAIRMONT HAMMER, PIERRE	Xcessories Squared - FA280LR	55410	287.56	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 2.8 inch Opening; for Fairmont Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anne					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 2.8 INCH FAIRMONT HAMMER, RAPID CITY	Xcessories Squared - FA280LR	55410	287.81	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 2.8 inch Opening; for Fairmont Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anne					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 3.8 INCH FAIRMONT HAMMER, ABERDEEN	Xcessories Squared - FA380LR	55411	295.21	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 3.8 inch Opening; for Fairmont Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anne					

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 3.8 INCH FAIRMONT HAMMER, MITCHELL	Xcessories Squared - FA380LR	55411	295.71	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 3.8 inch Opening; for Fairmont Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anne					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 3.8 INCH FAIRMONT HAMMER, PIERRE	Xcessories Squared - FA380LR	55411	296.11	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 3.8 inch Opening; for Fairmont Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anne					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 3.8 INCH FAIRMONT HAMMER, RAPID CITY	Xcessories Squared - FA380LR	55411	296.36	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 3.8 inch Opening; for Fairmont Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anne					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 3.8 INCH RHINO HAMMER, ABERDEEN	Xcessories Squared - RAPD55LR	55504	332.85	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 3.8 inch Opening; for Rhino Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anneale					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 3.8 INCH RHINO HAMMER, MITCHELL	Xcessories Squared - RAPD55LR	55504	333.85	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 3.8 inch Opening; for Rhino Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anneale					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 3.8 INCH RHINO HAMMER, PIERRE	Xcessories Squared - RAPD55LR	55504	333.75	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 3.8 inch Opening; for Rhino Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anneale					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 3.8 INCH RHINO HAMMER, RAPID CITY	Xcessories Squared - RAPD55LR	55504	334.00	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 3.8 inch Opening; for Rhino Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 anneale					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 4.25 INCH RHINO HAMMER, ABERDEEN	Xcessories Squared - RAPD100LR	55510	366.99	1 Each	<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 4-1/4 inch Opening; for Rhino Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 annea					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 4.25 INCH RHINO HAMMER, MITCHELL	Xcessories Squared - RAPD100LR	55510	367.99	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 4-1/4 inch Opening; for Rhino Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 annea					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 4.25 INCH RHINO HAMMER, PIERRE	Xcessories Squared - RAPD100LR	55510	367.89	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 4-1/4 inch Opening; for Rhino Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 annea					
LOCK AND RELEASE SHANK, FITS HYD/PNMTC AND ELEC POST DRIVERS, 4.25 INCH RHINO HAMMER, RAPID CITY	Xcessories Squared - RAPD100LR	55510	368.14	1 Each	<input type="text"/>
Description: Lock and Release Shanks for Hydraulic/Pneumatic and Electric Post Drivers; with tapered end to match Power drive cap; 4-1/4 inch Opening; for Rhino Hammer; Machined from S-7 shock steel ; max hardness of Rockwell C47; guide collars machined from 4340 annea					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 1 3/4 INCH GUIDE, ABERDEEN	Xcessories Squared - DC150175M	55200	146.02	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 1-3/4 inch Guide for 2 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Aberdeen)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 1 3/4 INCH GUIDE, MITCHELL	Xcessories Squared - DC150175M	55200	146.52	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 1-3/4 inch Guide for 2 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Mitchell)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 1 3/4 INCH GUIDE, PIERRE	Xcessories Squared - DC150175M	55200	147.02	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 1-3/4 inch Guide for 2 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Pierre)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 1 3/4 INCH GUIDE, RAPID CITY	Xcessories Squared - DC150175M	55200	147.92	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 1-3/4 inch Guide for 2 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Rapid City)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 1/2 INCH GUIDE, ABERDEEN	Xcessories Squared - DC225250M	55206	158.89	1 Each	<input type="text"/>

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
Description: Manual Drive Cap for Telespar square posts; 2-1/2 inch Guide for 3 inch Anchor X 7 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Aberdeen)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 1/2 INCH GUIDE, MITCHELL	Xcessories Squared - DC225250M	55206	158.39	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2-1/2 inch Guide for 3 inch Anchor X 7 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Mitchell)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 1/2 INCH GUIDE, PIERRE	Xcessories Squared - DC225250M	55206	158.89	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2-1/2 inch Guide for 3 inch Anchor X 7 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Pierre)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 1/2 INCH GUIDE, RAPID CITY	Xcessories Squared - DC225250M	55206	159.79	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2-1/2 inch Guide for 3 inch Anchor X 7 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Rapid City)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 1/4 INCH GUIDE, ABERDEEN	Xcessories Squared - DC200225M	55204	146.59	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2 1/4 inch Guide for 2 1/2 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Aberdeen)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 1/4 INCH GUIDE, MITCHELL	Xcessories Squared - DC200225M	55204	147.09	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2 1/4 inch Guide for 2 1/2 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Mitchell)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 1/4 INCH GUIDE, PIERRE	Xcessories Squared - DC200225M	55204	147.59	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2 1/4 inch Guide for 2 1/2 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Pierre)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 1/4 INCH GUIDE, RAPID CITY	Xcessories Squared - DC200225M	55204	148.49	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2 1/4 inch Guide for 2 1/2 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Rapid City)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 INCH GUIDE, ABERDEEN	Xcessories Squared - DC175200M	55202	146.02	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2 inch Guide for 2 1/4 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Aberdeen)					

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 INCH GUIDE, MITCHELL	Xcessories Squared - DC175200M	55202	146.52	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2 inch Guide for 2 1/4 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Mitchell)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 INCH GUIDE, PIERRE	Xcessories Squared - DC175200M	55202	147.02	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2 inch Guide for 2 1/4 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Pierre)					
MANUAL DRIVE CAP, FITS TELES PAR SQUARE POST, 2 INCH GUIDE, RAPID CITY	Xcessories Squared - DC175200M	55202	147.92	1 Each	<input type="text"/>
Description: Manual Drive Cap for Telespar square posts; 2 inch Guide for 2 1/4 inch Anchor X 12 gauge; from 4340 annealed bar stock; max hardness of Rockwell C50. (Rapid City)					
POST CLAMP, FITS EXTRUDED ALUMINUM SIGNS, MOUNTS ON 2 1/2 INCH SQUARE STEEL POST, ABERDEEN	Xcessories Squared - EPPCS250SQ	99	7.38	1 Each	<input type="text"/>
Description: Post Clamp for extruded aluminum signs on 2-1/2 inch steel square posts; fabricated from 11 gauge Type 304-2B stainless steel in such a manner as to fit around a 2-1/2 inch square post, securing with a 3/8 inch X 2 inch stainless steel carriage bolt and					
POST CLAMP, FITS EXTRUDED ALUMINUM SIGNS, MOUNTS ON 2 1/2 INCH SQUARE STEEL POST, MITCHELL	Xcessories Squared - EPPCS250SQ	99	7.49	1 Each	<input type="text"/>
Description: Post Clamp for extruded aluminum signs on 2-1/2 inch steel square posts; fabricated from 11 gauge Type 304-2B stainless steel in such a manner as to fit around a 2-1/2 inch square post, securing with a 3/8 inch X 2 inch stainless steel carriage bolt and					
POST CLAMP, FITS EXTRUDED ALUMINUM SIGNS, MOUNTS ON 2 1/2 INCH SQUARE STEEL POST, PIERRE	Xcessories Squared - EPPCS250SQ	99	7.52	1 Each	<input type="text"/>
Description: Post Clamp for extruded aluminum signs on 2-1/2 inch steel square posts; fabricated from 11 gauge Type 304-2B stainless steel in such a manner as to fit around a 2-1/2 inch square post, securing with a 3/8 inch X 2 inch stainless steel carriage bolt and					
POST CLAMP, FITS EXTRUDED ALUMINUM SIGNS, MOUNTS ON 2 1/2 INCH SQUARE STEEL POST, RAPID CITY	Xcessories Squared - EPPCS250SQ	99	7.69	1 Each	<input type="text"/>
Description: Post Clamp for extruded aluminum signs on 2-1/2 inch steel square posts; fabricated from 11 gauge Type 304-2B stainless steel in such a manner as to fit around a 2-1/2 inch square post, securing with a 3/8 inch X 2 inch stainless steel carriage bolt and					

Vendor: MPJ Enterprises Inc.
Contact Name: Johnson, Paul W.
Contact Phone: (605)847-4680

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
STEEL SOIL ANCHOR, MPJ WEDGE, 2 1/2 INCH SQUARE, ABERDEEN	MPJ ENTERPRISES, INC - MPJ-2.5RED	2010-0003	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2-1/2 inch. (Aberdeen)					
STEEL SOIL ANCHOR, MPJ WEDGE, 2 1/2 INCH SQUARE, MITCHELL	MPJ Enterprises, Inc - MPJ-2.5RED	2010-0003	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2-1/2 inch. (Mitchell)					
STEEL SOIL ANCHOR, MPJ WEDGE, 2 1/2 INCH SQUARE, PIERRE	MPJ Enterprises, Inc - MPJ-2.5RED	2010-0003	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2-1/2 inch. (Pierre)					
STEEL SOIL ANCHOR, MPJ WEDGE, 2 1/2 INCH SQUARE, RAPID CITY	MPJ Enterprises, Inc - MPJ-2RED	2010-0003	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2-1/2 inch. (Rapid City)					
STEEL SOIL ANCHOR, MPJ WEDGE, 2 1/4 INCH SQUARE, ABERDEEN	MPJ ENTERPRISES, INC - MPJ-2.25GRN	2010-0002	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2-1/4 inch. (Aberdeen)					
STEEL SOIL ANCHOR, MPJ WEDGE, 2 1/4 INCH SQUARE, MITCHELL	MPJ Enterprises, Inc - MPJ-2.25GRN	2010-0002	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2-1/4 inch. (Mitchell)					
STEEL SOIL ANCHOR, MPJ WEDGE, 2 1/4 INCH SQUARE, PIERRE	MPJ Enterprises, Inc - MPJ-2.25GRN	2010-0002	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2-1/4 inch. (Pierre)					
STEEL SOIL ANCHOR, MPJ WEDGE, 2 1/4 INCH SQUARE, RAPID CITY	MPJ Enterprises, Inc - MPJ-2.25GRN	2010-0002	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2-1/4 inch. (Rapid City)					
STEEL SOIL ANCHOR, MPJ WEDGE, 2 INCH SQUARE, ABERDEEN	MPJ ENTERPRISES, INC - MPJ-2BLK	2010-0001	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2 inch. (Aberdeen)					

Product Name	Mfg's Name	Vendor's Item Number	Price (\$)	Unit Of Measure	Qty
STEEL SOIL ANCHOR, MPJ WEDGE, 2 INCH SQUARE, MITCHELL	MPJ Enterprises, Inc - MPJ-2BLK	2010-0001	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2 inch. (Mitchell)					
STEEL SOIL ANCHOR, MPJ WEDGE, 2 INCH SQUARE, PIERRE	MPJ Enterprises, Inc - MPJ-2BLK	2010-0001	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2 inch. (Pierre)					
STEEL SOIL ANCHOR, MPJ WEDGE, 2 INCH SQUARE, RAPID CITY	MPJ Enterprises, Inc - MPJ-2BLK	2010-0001	9.37	Case of 18	<input type="text"/>
Description: Square Post, MPJ Wedge Steel Soil Anchor with a pair of L-shaped wings; 2 inch. (Rapid City)					