

STATE OF SOUTH DAKOTA
OFFICE OF PROCUREMENT MANAGEMENT
523 EAST CAPITOL AVENUE
PIERRE, SOUTH DAKOTA 57501-3182

SAFETY VESTS ANNUAL

NOTICE

ADDENDUM 2

DATE: March 11, 2011

BUYER: Lisa Hubbard

PHONE: 605-773-4580

VENDOR:

LOHMANN AND RAUSCHER, INC.

6001 SW Sixth Avenue – Suite 101

Topeka, KS 66615

Contact: Gary Piel

Phone: 800-279-7711 Ext. 3718

Fax: 800-289-1903


Vendor #12061945

e-mail: gary.piel@us.LRmed.com

CONTRACT #15661

Addendum 2 is being issued for the following:

The contract has been extended until April 30, 2012.



Steven L. Berg, Director
Office of Procurement Management

STATE OF SOUTH DAKOTA
OFFICE OF PROCUREMENT MANAGEMENT
523 EAST CAPITOL AVENUE
PIERRE, SOUTH DAKOTA 57501-3182

SAFETY VESTS ANNUAL

NOTICE

ADDENDUM 1

DATE: March 10, 2010

BUYER: Lisa Hubbard

PHONE: 605-773-4580

VENDOR:

LOHMANN AND RAUSCHER, INC.

6001 SW Sixth Avenue – Suite 101

Topeka, KS 66615

Contact: Gary Piel

Phone: 800-279-7711 Ext. 3718

Fax: 800-289-1903

Vendor #12061945


e-mail: gary.piel@us.LRmed.com

CONTRACT #15661

Addendum 1 is being issued for the following:

The contract has been extended until April 30, 2011.

Addendum Notes: None.



Steven L. Berg
Assistant Director
Office of Procurement Management



PMB 01231
BUREAU OF ADMINISTRATION
OFFICE OF PROCUREMENT MANAGEMENT
523 EAST CAPITOL
PIERRE, SD 57501-3182
(605) 773-3405
FAX (605) 773-4840



SAFETY VESTS - ANNUAL

NOTICE OF AWARDS

Buyer: Lisa Hubbard (014)
Phone: 605-773-4580
Fax: 605-773-4840
Email: Lisa.Hubbard@state.sd.us

Date: May 6, 2009

- 1. Contract Term:** This notice establishes contract(s) resulting from IFB # 24510 for a period of one (1) year, from May 1, 2009 through April 30, 2010 inclusive. The IFB and the vendor's response, along with the South Dakota Vendor's Manual are made part of the vendor's contract by this reference.
- 2. Extension:** The State may, at its own discretion, extend a contract for an additional two (2) months past the original contract expiration date. Further extensions may be for a period of one year. Notice shall be given by the State to the vendor at least 60 days prior to the termination of the contract, and the vendor shall agree to such extension within 30 days thereafter, before such extension period shall become effective.
- 3. Pricing:** All prices quoted in the referenced IFB are firm for the term of this contract. Price decreases are acceptable on invoice(s) presented for payment. If the open market price of a specific contract item is under the vendor's price, the State reserves the right to purchase the lower priced product.
- 4. Delivery:** The contractor shall furnish and deliver all of the awarded items of supplies, equipment, and commodities enumerated in the schedules and specifications, at the price and according to the terms and conditions, and of the kind, quality, and amounts and at the times specified in the schedules and specifications. The supplies, equipment and commodities shall be delivered to the Director of the Office of Procurement Management or to such State Department or State agency as he shall direct and such delivery shall be made without cost to the State.
- 5.** In the event of the inability or failure of the contractor to furnish and deliver any item or items enumerated in the schedules and specifications at the time and in accordance with the terms and conditions therein provided, the Director of the Office of Procurement Management may contract for or purchase such supplies, equipment, and commodities in the open market and the contractor shall make good the excess over the price named in the schedule and specifications and the cost of such supplies, equipment, and commodities in the open market provided however, that the foregoing provisions shall not apply where other penalties for any default in the performance of the conditions of this contract are provided for in the schedules and specifications.
- 6.** All orders shall be shipped F.O.B. destination. Deliveries shall be made at such time, place and in such quantities as shown on the Purchase Order. All items in common usage are to be shipped within 30 days from the date of purchase order. An additional 10 days will be allowed for back-ordered items when notification is given, in writing, to the ordering agency that the items are not available for immediate delivery.

7. All delivery tickets, invoices and statements shall show the purchase order number, brand or trade name and State Item Number when applicable as shown in this contract. Invoices must be submitted in duplicate to the State Agency ordering the merchandise. DO NOT SUBMIT STATEMENTS OR INVOICES TO THE OFFICE OF PROCUREMENT MANAGEMENT AS IT ONLY DELAYS PAYMENT.
8. **Surety:** This contract(s) shall be in full force and effect upon the execution and delivery thereof and the furnishing and delivery by the Contractor, to the Office of Procurement Management, of a good and sufficient Surety Bond in the sum required by the above-referenced solicitation, to be approved by the Office of Procurement Management.
9. STATE AGENCIES MUST INCLUDE ITEM NUMBERS AND A BRIEF DESCRIPTION WHEN ORDERING FROM THIS CONTRACT.
10. **Unless otherwise indicated, payment for items on the contract(s) may be made with the South Dakota Purchasing Card (Citibank Master Card). State agencies may use the Purchasing Card when making purchases of \$1000.00 or less per transaction.**

Bookmarks

[Contractors](#)

CONTRACTORS

Lohmann and Rauscher, Inc.

6001 SW Sixth Avenue
Suite 101
Topeka, KS 66615

Contact: Gary Piel
Phone: 800-279-7711
Fax: 800-289-1903
Vendor: 12061945
E-Mail: gary.piel@us.LRmed.com
Contract: 15661

Item Number	Description	Part Number	Price Per Each	Vendor	Contract
1.	<p>Safety vest; Vest construction is three-piece construction; adjustable horizontal wrap and all materials are home launderable. Vest material is 100% polyester diamond-weave rip-stop fabric having a weight of 2.3 ounces per square yard. Fluorescent yellow garment with fluorescent red orange trim. Body of vest has ½" bias trim.</p> <p>Vest trim material is 4 ½" wide woven 100% polyester. Grosgrain fluorescent red orange color material. 1" wide 3M™ 8725 Scotchlite™ retro-reflective material is applied .25" from each outside edge on the exposed face of the trim. Retro-reflective material is heat fused to the trim.</p> <p>Vest labeling; each garment has an ANSI compliant label stating the style, size and class of garment and has a warning and care label. The special warning label is located on the inside back of the garment. This label will advise special laundry instructions and appropriate precautions to observe. Included is a laundry cycle tracker. Each garment has a lot number tag referencing the lot number of materials used in the construction of the garment.</p> <p>Garment care is hand rinse or warm water machine wash (8 min cycle), mild detergent, no bleach, hang or tumble dry at low heat. The maximum number of wash/dry processes (required by ANSI 107-Section 9, to be specified on label) is <u>50</u>.</p> <p>Vest pocket is left inside breast to vest. Pocket has double layer to accommodate notepad and pencils. Back layer of pocket measures 5.5" wide x 6" deep to hold notepad. Front layer of pocket measures 5.5" wide x 5" deep with dividers for pencils.</p> <p>Vest closure is vertical hook and loop closure – gray color. 1" X 6.5" hook sewn on the wearer's right hand side. 1" X 6.5" loop sewn on the wearer's left hand side.</p> <p>Vest sizing is adjustable horizontal wrap to allow wearer to vary size. Wrap is 4 ½" wide and secured with hook and loop on each side. One 1 ½" X 6" piece of hook is sewn on each side of the wrap. One 2" X 10" piece of loop is sewn to each side of the base garment.</p> <p>The fabrics used in the PPE garments are third party tested for compliance to ANSI/ISEA 107-2004 specification. Both the fluorescent yellow-green and fluorescent orange-red fabrics are tested to ensure that they meet the chromaticity color requirements.</p> <p>The colors are measured in accordance with the procedures defined in ASTM E1164-94 with polychromatic illumination D65 and 45/0 (or 0/45) geometry and 2 degrees standard observer.</p> <p>The color x/y coordinates fall within the specified boxes for each color. Fabrics are tested every 5,000 yards for compliance, and the test results are available upon request.</p> <p>Fabrics meet the minimum luminance test of:</p>	400611M/L	\$17.95	Lohmann and Rauscher	15661

	Fluorescent Yellow = 76 and Fluorescent Red-Orange = 40. Sizes Small through Large.				
2.	Safety vest; Sizes XLarge and XXLarge.	400611XL/XXL	\$18.50	Lohmann and Rauscher	15661
3.	Safety vest; Sizes XXXLarge.	400611XXXL	\$18.95	Lohmann and Rauscher	15661
4.	<p>"Adopt-A-Highway" Safety Vests; Background fabric - ANSI 107-2004 - Fluorescent Yellow Green mesh (3.0-3.5 oz. /sq. yd.) Actual ANSI 107-2004 Certifications from independent laboratory.) Vest meets minimum requirement of 775 sq. inches. Vest front panel & back panel are 20" wide. Length is 51" (+-.5").</p> <p>Reflective material - ANSI 107-2004 - Silver 2" width sew on reflective; two (2) vertical and one (1) horizontal 360° band sewn around waist (must have actual ANSI 107-2004 certifications from independent laboratory.) Vest meets minimum requirements of 201 sq. inches. 4.1.3. Adjustable Side Straps (2) - One (1) pc - 4" wide x 15" long (sewn directly to outside of the back panel). Side straps attach to the horizontal strips of hook on the front panel. The hook strips consist of Four (4) individual pieces - 1" width x 9" long hook (sewn horizontally on front panel - two (2) pieces placed and sewn above horizontal reflective stripe and two (2) pieces placed and sewn below the horizontal reflective stripe). Hook pieces originate from outside edge of the garment. Inside end of side strap has a 2" wide x 4" piece of loop. Outside end of side strap is rounded. Closure with side straps is designed to allow adjustment in sizing across the front.</p> <p>Binding: Fluorescent Yellow Green vest ANSI 107-2004 solid material folded to form a finished edge.</p> <p>Vest Design: poncho style/ pull-over design with tear drop/V-neck opening with open sides and side straps that attach to back panel and attach across front.</p> <p>Washing Instructions: Wash warm - max 50x; no bleach; tumble dry low; no iron and no dry clean.</p> <p>Garment label contains manufacturer; ANSI/ISEA 107-2004; fabric type; model # (optional); size; pictogram showing garment class and retro-reflectivity level; care guide and maximum number of cycles.</p> <p>Sizing - Universal.</p>	400864LY	\$3.90	Lohmann and Rauscher	15661